24.16.01 - RULES OF THE STATE BOARD OF DENTURITRY

000.

LEGAL AUTHORITY.

These rules are promulgated pursuant to Section 54-3309.	()
001. SCOPE. These rules govern the practice of denturitry in Idaho.	()
002 009. (RESERVED)		
010. DEFINITIONS.		
01. Denturist Services. For purposes of the unconditional ninety (90) day guarantee pre Section 54-3320(c), Idaho Code, denturist services include any and all prosthetic dental appliances and and/or services related to the furnishing or supplying of such a denture, including preparatory work, or fitting, furnishing, supplying, altering, repairing or reproducing any prosthetic dental appliance or device.	d materi	i als
02. Denture Technician . A person who is limited to making, constructing, altering, representing of a full upper or lower removable prosthetic denture, the repairing of a removable partial upper prosthetic denture but is not allowed to make an impression or come in direct contact with a patient.		
011 149. (RESERVED)		
1 <u>0</u> 50. <u>EXAMINATIONS.LICENSURE.</u>		
01. Date of Licensure Examination. The licensure examination will be held no less than two per year at such times and places as may be determined by the Board.	/o (2) tin	n es
02. Content. Examinations include both a written theory examination and a practical demonskills.	nstration	⊢ of —)
013. Examination Grading. An applicants must pass both the Board administered written at examinations with obtain a score of seventy-five percent (75%) or better on each part of the examination pass the examination. Applicants who fail one or both examinations will be required to pay a re-examination to retaking the failed examination(s).	in orde	r to
04. Re-Examination		<u> </u>
a. Applicants who fail either part or all of the examination will be required to make appl pay the required fees prior to being eligible to retake the failed part of the examination.		$\stackrel{\text{and}}{\longrightarrow} \setminus$
b. Applicants failing either part or all of the examination on the first attempt will not be complete any additional instruction prior to being eligible to make application and retake the examination.		
e. Applicants failing either part or all of the examination on a second attempt and all attempts are not eligible to make application and retake the examination within one (1) year of the examination failure The Board may recommend additional course work or clinical work for any application failed an examination two (2) or more times.	date of	the
151.—199. (Reserved)		
200. APPLICATIONS.		

Commented [KS1]: Changed approved during the 3.31.2023 mtg.

54-3320 Notice of Board Address- Prohibited Activities-Guarantee on Services. (c) All denturist services will be unconditionally guaranteed for a period of not less than ninety (90) days.

Commented [KS2]: This is not a necessary rule. The website can identify when the exam will be held - or - the exams can be held on an as-needed basis.

Commented [KS3]: Duplicative of Statute: 54-3311. EXAMINATIONS. The board shall administer the examinations for licensing, subject to the following requirements: (a) Examinations shall be of such character as to determine the qualifications, fitness and ability of the applicant to practice denturitry, with the form of the test to be written, oral, or a practical demonstration of skills, or such combination of the three (3) as the board may prescribe. (b) The examination shall include coverage of the following subjects: (1) Head and oral anatomy; (2) Oral pathology; (3) Physiology; (4) Clinical dental technology; (5) Dental laboratory technology; (6) Microbiology; (7) Clinical jurisprudence; (8) Asepsis; (9) First aid for minor office emergencies

Commented [MC4]: Incorporated into 01. Examination.

Commented [KS5]: Applications for licensure are valid for one year from when the applicant applies. If the applicant fails one or both parts of the exam within the one year, they can pay the re-examination fee, but the Board doesn't have the authority to require a new application within that one year time frame.

 Section 000
 Page 1
 YDunbar_01122023

recusure ex	o establish the applic xamination.	ant meets the requirements for licensure	except examination and is e	ligible to take the	Commented [KS6]: The Divisions Statutes address the
02	2. Authorizatio	n for Examination.		()	plication form/submission and application materials required. Therefore, this isn't needed. Approved 3.31.2023
a.		rd evaluates the applicant's qualification		the applicant will	
e notified	in writing of the app	roval or denial, and, if denied, the reason	on for the denial.	\longleftrightarrow	
b.		e Board approves an applicant to take the ion if it has not already been set. Appro			
	of the next examinat		appround will be nound	()	Commented [KS7]: The board doesn't have the author
201 249. 250. FI	. (RESERVED))			to approve someone to take the examination. The statu only allows the board to approve applications for licensu not applications for examination. If the applicant meets
,50. FI	EES.	FEE TYPE	AMOUNT (Not to Exceed)		requirements set forth in rule Board Staff can approve the to sit for the exam.
	Licen	se Application and Examination	\$300		
	License	e Application and Re-examination	\$300		
	Ir	ntern Application and Permit	\$300		
		Initial License	\$300		
		Inactive License	\$50		
		Annual Renewal	\$750		
				()	
51 299.	. (RESERVED))			
	. (RESERVED	"			
00. IN	NTERNSHIP.	0) 15 and Conditions for Internship.		()	
00. IN	NTERNSHIP.	s and Conditions for Internship.	completed:	()	Commented IMCRI: Programized as a paragraph under
00. IN 10 a.	NTERNSHIP. 00.012. Requirement To be eligible	is and Conditions for Internship. for internship the applicant must have		()	Commented [MC8]: Reorganized as a paragraph unde 100.02
00. IN 10 a. i.	NTERNSHIP. 00.042. Requirement To be eligible The education	for internship the applicant must have all requirements set forth in Section 54-	3310(b), Idaho Code; or	()	
00. IN 10 a. i. ii.	NTERNSHIP. Oo.042. Requirement To be eligible The education Have denturit	is and Conditions for Internship. for internship the applicant must have	3310(b), Idaho Code; or	()	
00. IN 10 a. i. pplication b.	To be eligible The education Have denturit Where an inte	for internship the applicant must have all requirements set forth in Section 54-try experience of three (3) years with	3310(b), Idaho Code; or in the five (5) years immed	() () diately preceding ()	100.02
i. i. pplication b. s actively p	To be eligible The education Have denturing. Where an integration application in	for internship the applicant must have all requirements set forth in Section 54-try experience of three (3) years with	3310(b), Idaho Code; or in the five (5) years immediate, the internship is valid only	() diately preceding () y while the intern	
a. i. ii. application b.	To be eligible The education Have denturing. Where an integration application in	for internship the applicant must have that requirements set forth in Section 54-try experience of three (3) years with the try is established based on experience of Idaho licensure requirements.	3310(b), Idaho Code; or in the five (5) years immediate, the internship is valid only	() diately preceding () y while the intern	Commented [KS9]: 54-3310(b) requires a 2 year super vised internship - or - equivalent experience set by the

YDunbar_01122023

Page 2

Section 000

O4. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. Procedures include all steps required in constructing a finished denture but are not limited to the	11.	include the name and address of the supervising denturist of defitist,
v. Include a sworn statement by applicant that he is knowledgeable of law and rules and will abide by all requirements of such law and rules; and vi. Include such other information necessary to establish applicant's qualifications for licensure as a denturist and establish compliance with pre-intern requirements. d. The supervising denturist or dentist must be present and directly observe any intern interaction with a patient. e. Two (2) years of internship under the supervision of a licensed denturist must be completed in not less than twenty-four (24) months and may not exceed thirty (30) months except as approved by the Board. 102. Internship Equivalency. A person is considered to have the equivalent of two (2) years internship under a licensed denturist who has met and verifies one (1) of the following within the five (5) years immediately preceding application: a. Two (2) years internship as a denture lab technician under a licensed dentist; or b. Two (2) years internship as a denture lab technician; or c. Three (3) years experience as a denturist under licensure in another state or Canada. 03. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. 04. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. a. Procedures include all steps required in constructing a finished denture but are not limited to the following: i. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. ii. Processed relines (one (1) plate = one (1) unit) twenty four (24) units. iii. Processed relines (one (1) plate = one (1) unit) twenty four (24) units. iii. Processed relines (one (1) plate = one (1) unit) twenty four (24) units. iii. Processed relines (one (1) plate = one (1) unit) twenty four periminary and final (pour	———iii.	Include a sworn or affirmed statement by the supervising denturist or dentist; ()
vi. Include such other information necessary to establish applicant's qualifications for licensure as a denturist and establish compliance with pre-intern requirements. d. The supervising denturist or dentist must be present and directly observe any intern interaction with a patient. e. Two (2) years of internship under the supervision of a licensed denturist must be completed in not less than twenty four (24) months and may not exceed thirty (30) months except as approved by the Board. 102. Internship Equivalency. A person is considered to have the equivalent of two (2) years internship under a licensed denturist who has met and verifies one (1) of the following within the five (5) years immediately preceding application: a. Two (2) years internship as a denture lab technician under a licensed dentist; or b. Two (2) years in the military as a denture lab technician; or c. Three (3) years experience as a denturist under licensure in another state or Canada. 103. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. 104. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. 105. Procedures include all steps required in constructing a finished denture but are not limited to the limited to the limited construction. Articulations, Setups. Try ins. twelve (12) minimum. 108. Patient charting. Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom travs), Processing (wax-up, flask-boil-out, packing, grind-polish), Delivery post adjustment—thirty six (36) minimum. 119. Patient charting—thirty six (36) minimum. 120. Operatory sanitation—thirty six (36) minimum.	iv.	Include a sworn or affirmed statement by the supervisor accepting supervision of the intern;
vi. Include such other information-necessary to establish applicant's qualifications for licensure as a denturist and establish compliance with pre-intern requirements. d. The supervising denturist or dentist must be present and directly observe any intern interaction with a patient. e. Two (2) years of internship under the supervision of a licensed denturist must be completed in not less than twenty-four (24) months and may not exceed thirty (30) months except as approved by the Board. 102. Internship Equivalency. A person is considered to have the equivalent of two (2) years internship under a licensed denturist who has met and verifies one (1) of the following within the five (5) years immediately preceding application: a. Two (2) years internship as a denture lab technician under a licensed dentist; or b. Two (2) years in the military as a denture lab technician; or c. Three (3) years experience as a denturist under licensure in another state or Canada. 03. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. 04. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. a. Procedures include all steps required in constructing a finished denture but are not limited to the following: i. Bite registrations. Articulations, Setups, Try ins, twelve (12) minimum. ii. Processed relines (one (1) plate = one (1) unit) - twenty four (24) units. ii. Processed relines (one (1) plate = one (1) unit) - twenty four (24) units. iii. Protessed relines (one (1) plate = one (1) unit) - twenty four (24) units. iii. Protessed relines (one (1) plate = one (1) unit) - twenty four (24) units. iii. Protessed relines (one (1) plate = one (1) unit) - twenty four (24) units. iii. Protessed relines (one (1) plate = one (1) unit) - twenty fou		
d. The supervising denturist or dentist must be present and directly observe any intern interaction with a patient. e. Two (2) years of internship under the supervision of a licensed denturist must be completed in not less than twenty four (24) months and may not exceed thirty (30) months except as approved by the Board. D. Internship Equivalency. A person is considered to have the equivalent of two (2) years internship under a licensed denturist who has met and verifies one (1) of the following within the five (5) years immediately preceding application: a. Two (2) years internship as a denture lab technician under a licensed dentist; or b. Two (2) years in the military as a denture lab technician; or c. Three (3) years experience as a denturist under licensure in another state or Canada. 33. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. 44. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. 45. Procedures include all steps required in constructing a finished denture but are not limited to the following: i. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. ii. Processed relines (one (1) plate = one (1) unit) — twenty four (24) units. iii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays). Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment—thirty six (36) minimum. iv. Tooth repairs, Broken or fractured plates or partials—forty-eight (48) minimum.	all requiremen	ts of such law and rules; and ()
a patient. e. Two (2) years of internship under the supervision of a licensed denturist must be completed in not less than twenty four (24) months and may not exceed thirty (30) months except as approved by the Board. 102. Internship Equivalency. A person is considered to have the equivalent of two (2) years internship under a licensed denturist who has met and verifies one (1) of the following within the five (5) years immediately preceding application: 2. Two (2) years internship as a denture lab technician under a licensed dentist; or 3. Two (2) years in the military as a denture lab technician; or 4. Three (3) years experience as a denturist under licensure in another state or Canada. 5. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. 5. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. 2. Procedures include all steps required in constructing a finished denture but are not limited to the following: 2. Bite registrations. Articulations, Setups. Try ins. twelve (12) minimum. 3. Bite registrations (one (1) plate = one (1) unit) twenty four (24) units. 3. Bite registrations (one for plate = one for year of permination in pressions, preliminary and final (pour models, custom trays). Processing (wax up, flask boil out, packing, grind polish). Delivery post adjustment thirty six (36) minimum. 3. Internship Lequire (1) and the sum of the plates of partials forty eight (48) minimum. 4. Patient charting thirty six (36) minimum. 5. Operatory sanitation—thirty six (36) minimum.		
02. Internship Equivalency. A person is considered to have the equivalent of two (2) years internship under a licensed denturist who has met and verifies one (1) of the following within the five (5) years immediately preceding application: a. Two (2) years internship as a denture lab technician under a licensed dentist; or b. Two (2) years in the military as a denture lab technician; or c. Three (3) years experience as a denturist under licensure in another state or Canada. 03. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. 04. Training Requirements. Each year of required internship consists of two thousand (2,000) clock-hours of training and performance of the following minimum procedures for licensure. a. Procedures include all steps required in constructing a finished denture but are not limited to the following: i. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. ii. Processed relines (one (1) plate = one (1) unit) - twenty-four (24) units. iii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays), Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment—thirty six (36) minimum. iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum. ii. Patient charting—thirty six (36) minimum.		The supervising denturist or dentist must be present and directly observe any intern interaction with
under a licensed denturist who has met and verifies one (1) of the following within the five (5) years immediately preceding application: a. Two (2) years internship as a denture lab technician under a licensed dentist; or () b. Two (2) years in the military as a denture lab technician; or () c. Three (3) years experience as a denturist under licensure in another state or Canada. () 03. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. () 04. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. () a. Procedures include all steps required in constructing a finished denture but are not limited to the following: i. Bite-registrations, Articulations, Setups, Try ins, twelve (12) minimum. () ii. Processed relines (one (1) plate = one (1) unit) twenty-four (24) units. () iii. Patient charting. Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays). Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment thirty six (36) minimum. () iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum. ii. Patient charting—thirty six (36) minimum.	e. less than twent	
b. Two (2) years in the military as a denture lab technician; or () c. Three (3) years experience as a denturist under licensure in another state or Canada. () 03. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. () 04. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. () a. Procedures include all steps required in constructing a finished denture but are not limited to the following: () i. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. () ii. Processed relines (one (1) plate = one (1) unit) twenty-four (24) units. () iii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays), Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment—thirty six (36) minimum. () iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum.	under a license	ed denturist who has met and verifies one (1) of the following within the five (5) years immediately
c. Three (3) years experience as a denturist under licensure in another state or Canada. () 03. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. () 04. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. () a. Procedures include all steps required in constructing a finished denture but are not limited to the following: () i. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. () ii. Processed relines (one (1) plate = one (1) unit) twenty-four (24) units. () iii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays), Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment thirty six (36) minimum. () iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum. () ii. Patient charting—thirty six (36) minimum. ()	a.	Two (2) years internship as a denture lab technician under a licensed dentist; or
13. Internship Not to Exceed One Year. Internship not to exceed one (1) year acquired through a formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. 14. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. 25. Procedures include all steps required in constructing a finished denture but are not limited to the following: 26. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. 27. ii. Processed relines (one (1) plate ≡ one (1) unit) → twenty-four (24) units. 28. Procedures include all steps required in constructing a finished denture but are not limited to the following: 28. Procedures include all steps required in constructing a finished denture but are not limited to the following: 29. ii. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. 20. iii. Processed relines (one (1) plate ≡ one (1) unit) → twenty-four (24) units. 29. iii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays), Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment—thirty six (36) minimum. 20. iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum. 20. iii. Patient charting—thirty six (36) minimum.	b.	Two (2) years in the military as a denture lab technician; or
formal training program in an acceptable school will be accepted toward the two (2) year required internship for licensure. Ot. Training Requirements. Each year of required internship consists of two thousand (2,000) clock hours of training and performance of the following minimum procedures for licensure. Procedures include all steps required in constructing a finished denture but are not limited to the following: i. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. ii. Processed relines (one (1) plate = one (1) unit) twenty-four (24) units. ii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays), Processing (wax up, flask-boil out, packing, grind-polish), Delivery post adjustment—thirty six (36) minimum. iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum. i. Patient charting—thirty six (36) minimum. ii. Operatory sanitation—thirty-six (36) minimum.	c.	Three (3) years experience as a denturist under licensure in another state or Canada.
a. Procedures include all steps required in constructing a finished denture but are not limited to the following: i. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. ii. Processed relines (one (1) plate = one (1) unit) twenty-four (24) units. ii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays), Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment thirty six (36) minimum. iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum. i. Patient charting—thirty six (36) minimum.	formal training licensure.	g program in an acceptable school will be accepted toward the two (2) year required internship for () Training Requirements. Each year of required internship consists of two thousand (2,000) clock
following: i. Bite registrations, Articulations, Setups, Try ins, twelve (12) minimum. ii. Processed relines (one (1) plate = one (1) unit) twenty-four (24) units. ii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays), Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment thirty six (36) minimum. iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum. i. Patient charting—thirty-six (36) minimum. ii. Operatory sanitation—thirty-six (36) minimum.	hours of traini	ng and performance of the following minimum procedures for licensure.
ii. Processed relines (one (1) plate = one (1) unit) twenty-four (24) units. iii. Patient charting, Operatory sanitation, Oral examination, Impressions, preliminary and final (pour models, custom trays), Processing (wax up, flask boil out, packing, grind polish), Delivery post adjustment thirty six (36) minimum. iv. Tooth repairs, Broken or fractured plates or partials—forty eight (48) minimum. i. Patient charting—thirty six (36) minimum. () ii. Operatory sanitation—thirty six (36) minimum.	following:	\longrightarrow
iv. Patient charting—thirty-six (36) minimum. iv. Patient charting—thirty-six (36) minimum. iv. Operatory-sanitation—thirty-six (36) minimum.		
i. Patient charting—thirty-six (36) minimum. () ii. Operatory sanitation—thirty-six (36) minimum. ()	ii.	models, custom trays), Processing (wax up, flask boil out, packing, grind polish), Delivery post
ii. Operatory sanitation — thirty-six (36) minimum. ()	iv.	Tooth repairs, Broken or fractured plates or partials forty eight (48) minimum
	i.	Patient charting — thirty-six (36) minimum. ()
iii. Oral examination - thirty-six (36) minimum. ()	———ii	
	11.	Operatory sanitation — thirty-six (36) minimum. ()

Commented [KS10]: If all of this is on the approved application form, we do not need it outlined in the rule. Approved 3.31.2023

Commented [KS11]: 54-3310(b) sets forth the 3 requirements.

(b) Applications filed on or after April 1, 1983: Applicants must satisfactorily complete the <u>examinations</u> established by the board pursuant to this chapter; and have completed <u>formal training</u> of not less than two (2) years duration at an educational institution accredited by a national or regional accrediting agency recognized by the Idaho state board of higher education, the curriculum of which includes courses in oral pathology, physiology, head and oral anatomy, clinical microbiology, clinical jurisprudence, asepsis, and first aid for minor office emergencies; and have <u>completed at least two (2) years internship</u> under the supervision of a licensed denturist or have equivalent experience as established by board rule prior to the filling of the application

Nothing in statute allows these additional requirements.

Commented [MC12]: Incorporated into internship.

Commented [KS13]: We do not have statutory authority to state that that internship cannot take longer than 2 years.

54-3310 (b) and have completed at least two (2) years internship under the supervision of a licensed denturist or have equivalent experience as established by board rule prior to the filing of the application.

Commented [KS14]: The statute requires a 2-year supervised internship without also saying "as approved by the board".

The Board can create an Internship Guidance Document with this information.

Section 000 Page 3 YDunbar_01122023

iv.	Impressions, preliminary and final (pour models, custom trays) — thirty-six (36) minimum. (
v.	Bite registrations twelve (12) minimum.	
vi.	Articulations - twelve (12) minimum.	
vii.	Set ups twelve (12) minimum. (
viii.	Try ins — twelve (12) minimum. (
ix.	Processing (wax up, flask-boil out, packing, grind-polish) thirty-six (36) minimum. (
x.	Delivery post adjustment – thirty six (36) minimum. (
	Processed relines (one (1) plate = one (1) unit) twenty four (24) units.	
е.	Tooth repairs - forty eight (48) minimum. (
d.	Broken or fractured plates or partials forty-eight (48) minimum. (
on forms provi	Reporting Requirements. Interns must file reports, attested to by the supervisor, with the I ided by the Division of Occupational and Professional Licenses on a monthly basis and recapt completion of the training.	
	Denture Clinic Requirements. Denture clinic requirements for approved internship training:	<u>:</u>
a.	There may not be more than one (1) internee per licensed denturist or dentist who is practicifull time basis.	i ng at
i.e. lathe, torch	There must be a separate work station in the laboratory area for each intern with standard equipment and storage space. The intern must provide necessary hand tools to perform the duties of the dee of the operatory facilities and other equipment will be shared with the intern.	
07.	Internship Supervisor Requirements, Hold an Idaho denturist license in good standin	
years a.	A supervisor must:	
i.	Be approved in advance by the Board for each internship. (
or by any other	Not have been the subject of any disciplinary action by the Board, by the Idaho Board of Den r jurisdiction for five (5) years immediately prior to being approved as the supervisor.	
b.	A supervisor that is a denturist must:	
i. these rules; and	Hold an Idaho denturist license that is current and in good standing and is renewed as provided (led in
	Have actively practiced denturitry for at least three (3) of the five (5) years immediately prid as the supervisor.	
and is renewed	A supervisor that is a dentist must: Hold an Idaho dentist license that is current and in good start as provided in Chapter 9, Title 54, Idaho Code; and have actively practiced general dentistry.	

Commented [MC15]: No statutory authority to require this report.

Commented [KS16]: 5.24.2023- Board agreed to strike and allow for public comment.

Commented [MC17]: No statutory authority to require this.

 Section 000
 Page 4
 YDunbar_01122023

as a supervisor.	v accepted by the Board, for at least three (3) of the five (5) years immediately prior to being approved
	Hold an Idaho dentist license that is current and in good standing and is renewed as provided in e 54, Idaho Code; and
ii.	Have actively practiced general dentistry, or a dental specialty accepted by the Board, for at least five (5) years immediately prior to being approved as a supervisor.
d. ntern at a time	Supervise only one (1) intern. A supervisor will not be approved to supervise more than one (1)
e. supervisor is di	Termination of supervisor approval. Approval of the supervisor immediately terminates if the isciplined or ceases to meet supervisor requirements.
301 314.	(RESERVED)
315. INAC	TIVE LICENSURE STATUS.
his license be p	Request License be Placed on Inactive Status. A denturitry licensee may request the Board that blaced upon inactive status for no more than five years. A licensee on inactive status may not provide turist services.
92.	Reactivating Inactive License. A licensee on inactive status may reactivate his license to active ag the renewal fee for an active license and providing proof they have completed and obtained such
	cation as required by Board rule. ()
316 349.	(RESERVED)
program is dete	CONTINUING EDUCATION. y accredit education programs for purposes of continuing education where the subject matter of the ermined to be pertinent to the practice of denturitry.
practice of den	Subjects. Subjects deemed pertinent to that Continuing education must be are germane to the nuritry are those set forth in Section 54 3311(b), Idaho Code, and may also include ethics courses, attend courses that are offered asynchronous and synchronous ly.
02. the Board, in w	Request for Approval. Requests for approval of continuing education programs must be made to vriting, and provide an outline of the program which the Board is being asked to approve. The request sess the matters set forth in Subsection 350.05 below. Requests may accompany the annual renewal form the to the Board in advance of the program for which approval is sought as indicated in Subsection
made to the Bo	Requests for Pre-Approval. Requests for pre approval of continuing education programs must be oard, in writing, and provide an outline of the program which the Board is being asked to approve re-approval must also address the matters set forth in Subsection 350.05 below.
a. Licenses no les	Requests for pre-approval must be received by the Division of Occupational and Professional sthan eleven (11) working days prior to the date of the program.
Licenses no les	

Commented [MC18]: No statutory authority.

Commented [KS19]: 5.24.2023- Board agreed to strike and allow for public comment.

Commented [MC20]: No statutory authority.

Commented [KS21]: Duplicative of Title 67 Chapter 26-Department of self-governing agencies. Renewal or reinstatement of license outlined in your statute 54-3316. Board approved during 3.31.2023 meeting

Commented [KS22]: 54-3313 does not limit the mode of CE and, therefore, no rule is necessary to establish the lack of such a limitation.

 Section 000
 Page 5
 YDunbar_01122023

O1. Who May Examine or Inspect. The Board or its agents may examine and inspect the place business of any denturist at anytime during business hours or upon at least seventy two (72) hours notice made J.S. mail to the address of record of the denturist when the Board or its agents are unable to establish the regulations hours. O2. Reason for Inspection. Inspections are made to insure compliance with the Standards of Cond and practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturater Section 54 3314(c), Idaho Code. (NESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. O1. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. O1. Sanitation. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal systematics. The laboratory room must have hot and cold running water, and basin with approved disposal systematics. The laboratory room must have hot and cold running water, and basin with approved disposal systematics.		Credit for Continuing Education Attendance. Continuing education credit will be given only
05. Requests for Approval of Programs. All requests for approval or pre-approval of education or grams must be accompanied by a statement that includes the name of the instructor or instructors, the date and to include the order of the course, the specific agenda for the course, and a statement by the licensee of how the course licensee of the pertinent to the practice of denturitry as specified in Section 54-3311(b), Idaho Code. (RESERVED) (IO. INSPECTIONS. 01. Who May Examine or Inspect. The Board or its agents may examine and inspect the place business of any denturist at anytime during business hours or upon at least seventy—two (72) hours notice made JS.—mail to the address-of-record of the denturist when the Board or its agents are unable to establish the regulations of the process of the state of the state of the denturist when the Board or its agents are unable to establish the regulations of the state of the state of the state of the denturist when the Board or its agents are unable to establish the regulations of the state of the state of the state of the state of the denturist when the Board or its agents are unable to establish the regulations of the state of the state of the state of the denturist of the state of the state of the state of the state of the denturist of the state of		
regrens must be accompanied by a statement that includes the name of the instructor or instructors, the date and it and location of the course, the specific agenda for the course, and a statement by the licensee of how the course believed to be pertinent to the practice of denturitry as specified in Section 54–3311(b), Idaho Code. (S1 399. (RESERVED) 100. INSPECTIONS. 01. Who May Examine or Inspect. The Board or its agents may examine and inspect the place usiness of any denturist at anytime during business hours or upon at least seventy two (72) hours notice made 1/s. mail to the address of record of the denturist when the Board or its agents are unable to establish the regressiness hours. 02. Reason for Inspection. Inspections are made to insure compliance with the Standards of Conduct practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturined section 54–3314(c), Idaho Code. (101 449. (RESERVED) 180200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the stellar, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. (b. The operatory room must have hot and cold running water, basin with approved disposal system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. (f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conv	Study cours	es are not eligible for continuing education credits.
ind Leastion of the course, the specific agenda for the course, and a statement by the licensec of how the course believed to be pertinent to the practice of denturitry as specified in Section 54 3311(b), Idaho Code. (851 399. (RESERVED) 100. INSPECTIONS. 01. Who May Examine or Inspect. The Board or its agents may examine and inspect the place nuriness of any denturist at anytime during business hours or upon at least seventy two (72) hours notice made loss maintees of record of the denturist when the Board or its agents are unable to establish the regrusiness hours. (22. Reason for Inspection. Inspections are made to insure compliance with the Standards of Cond and practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the dentu inder Section 54 3314(c), Idaho Code. (101 449. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the stellar, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal system. c. The laboratory room must have hot and cold running water, and basin with approved disposal system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin with approved disposal system, soap and single use towel	05.	Requests for Approval of Programs. All requests for approval or pre approval of education
pelieved to be pertinent to the practice of denturitry as specified in Section 54 3311(b), Idaho Code. (151. — 399. (RESERVED) 100. — INSPECTIONS. 01. — Who May Examine or Inspect. The Board or its agents may examine and inspect the place usiness of any denturist at anytime during business hours or upon at least seventy two (72) hours notice made 15. mail to the address of record of the denturist when the Board or its agents are unable to establish the regulations hours. 02. — Reason for Inspection. Inspections are made to insure compliance with the Standards of Cond and practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturing of the section 54 3314(c), Idaho Code. (101. — 449. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. — Minimum Facility Standards. A Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. — Sanitation. 01. — There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. 15. — The operatory room must have hot and cold running water, basin with approved disposal system. 15. — The laboratory room must have hot and cold running water, and basin with approved disposal system. 15. — The laboratory room must have hot and cold running water, and basin with approved disposal system. 15. — The laboratory room must have hot and cold running water, and basin with approved disposal system. 16. — There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. 16. — The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist m		
151 399. (RESERVED) 100. INSPECTIONS. 01. Who May Examine or Inspect. The Board or its agents may examine and inspect the place susiness of any denturist at anytime during business hours or upon at least seventy two (72) hours notice made J.S. mail to the address of record of the denturist when the Board or its agents are unable to establish the regulations hours. 02. Reason for Inspection. Inspections are made to insure compliance with the Standards of Conding practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the dentural process. (101 449. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the stalean, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal system. c. The laboratory room must have hot and cold running water, and basin with approved disposal system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within	and location	of the course, the specific agenda for the course, and a statement by the licensee of how the course
OI. Who May Examine or Inspect. The Board or its agents may examine and inspect the place business of any denturist at anytime during business hours or upon at least seventy two (72) hours notice made J.S. mail to the address of record of the denturist when the Board or its agents are unable to establish the regulations hours. O2. Reason for Inspection. Inspections are made to insure compliance with the Standards of Conding practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturing the Section 54 3314(c), Idaho Code. (IOI 449. (RESERVED) ISO200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. O1. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the selean, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. O1. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal systellisinfectant soap; single use towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved disposal system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. c. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.	believed to l	pe pertinent to the practice of denturitry as specified in Section 54-3311(b), Idaho Code.
01. Who May Examine or Inspect. The Board or its agents may examine and inspect the place rusiness of any denturist at anytime during business hours or upon at least seventy two (72) hours notice made J.S. mail to the address of record of the denturist when the Board or its agents are unable to establish the regulations in the standards of Condition of Section 450 and actionable against the denturing practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturing practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturing practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing practice of Section 450 and actionable against the denturing section 45	351 399.	(RESERVED)
nusiness of any-denturist at anytime during business hours or upon at least seventy two (72) hours notice made J.S. mail to the address of record of the denturist when the Board or its agents are unable to establish the regulations hours. Q2. Reason for Inspection. Inspections are made to insure compliance with the Standards of Conduct practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the dentural derivation of Section 54 3314(e), Idaho Code. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. O1. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the stallean, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. O1. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal systelisinfectant soap; single-use-towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved disposal system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running-water, basin wipproved disposal system, soap and single use towels will be provided within the building.	400. IN	SPECTIONS.
nusiness of any-denturist at anytime during business hours or upon at least seventy two (72) hours notice made J.S. mail to the address of record of the denturist when the Board or its agents are unable to establish the regulations hours. Q2. Reason for Inspection. Inspections are made to insure compliance with the Standards of Conduct practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the dentural derivation of Section 54 3314(e), Idaho Code. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. O1. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the stallean, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. O1. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal systelisinfectant soap; single-use-towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved disposal system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running-water, basin wipproved disposal system, soap and single use towels will be provided within the building.	01 .	Who May Examine or Inspect. The Board or its agents may examine and inspect the place
J.S. mail to the address of record of the denturist when the Board or its agents are unable to establish the regularises shours. (2. Reason for Inspection. Inspections are made to insure compliance with the Standards of Conding Inspection of Section 450 and actionable against the denturing the Section 54 3314(e), Idaho Code. (301. 449. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the scalean, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. (a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. (b. The operatory room must have hot and cold running water, basin with approved disposal systelisinfectant soap; single-use towels, a cuspidor with running water and a closed waste receptacle. (b. The laboratory room must have hot and cold running water, and basin with approved disposal system. (c. The laboratory room must have hot and cold running water, and basin with approved disposal system. (d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. (e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. (f. Every patient must have a separate and clean bib and a disposable cup. (g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. (h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.		
O2. Reason for Inspection. Inspections are made to insure compliance with the Standards of Conduct practice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturinder Section 54 3314(c), Idaho Code. (IO1 449. (RESERVED) ISO 200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. O1. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. O1. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. (a. The operatory room must have hot and cold running water, basin with approved disposal system. c. The laboratory room must have hot and cold running water, and basin with approved disposal system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. (b. Adequate and conveniently located toilet facilities with hot and cold running water, basin water, passin water, basin water, basin water, be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves.	U.S. mail to	the address of record of the denturist when the Board or its agents are unable to establish the regu
Indepractice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturinder Section 54 3314(e), Idaho Code. (101 449. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. (1. Sanitation. (2. Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. (3. Denturist office must be properly equipped to ensure the section, and sanitary condition and a laboratory. (4. Denturist office must be properly equipped to ensure the section, and sanitary command a laboratory. (5. Denturist office must be properly equipped to ensure the section, and sanitary command a laboratory. (6. Denturist office must be be a method of sterilization and cold running water, beginning water, and basin with approved disposed system. (8. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. (9. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. (1. Every patient must have a separate and clean bib and a disposable cup. (1. Every patient must have a separate and clean bib and a disposable cup. (2. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. (8. Adequate and conveniently located toilet facilities with hot and cold running water, basin wipproved disposal system, soap and single use towels will be provided within the building.		
Indepractice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturinder Section 54 3314(e), Idaho Code. (101 449. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. (1. Sanitation. (2. Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. (3. Denturist office must be properly equipped to ensure the section, and sanitary condition and a laboratory. (4. Denturist office must be properly equipped to ensure the section, and sanitary command a laboratory. (5. Denturist office must be properly equipped to ensure the section, and sanitary command a laboratory. (6. Denturist office must be be a method of sterilization and cold running water, beginning water, and basin with approved disposed system. (8. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. (9. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. (1. Every patient must have a separate and clean bib and a disposable cup. (1. Every patient must have a separate and clean bib and a disposable cup. (2. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. (8. Adequate and conveniently located toilet facilities with hot and cold running water, basin wipproved disposal system, soap and single use towels will be provided within the building.		
Indepractice set forth in Section 450. Deficiencies are a violation of Section 450 and actionable against the denturinder Section 54 3314(e), Idaho Code. (101 449. (RESERVED) 150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. (1. Sanitation. (2. Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. (3. Denturist office must be properly equipped to ensure the section, and sanitary condition and a laboratory. (4. Denturist office must be properly equipped to ensure the section, and sanitary command a laboratory. (5. Denturist office must be properly equipped to ensure the section, and sanitary command a laboratory. (6. Denturist office must be be a method of sterilization and cold running water, beginning water, and basin with approved disposed system. (8. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. (9. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. (1. Every patient must have a separate and clean bib and a disposable cup. (1. Every patient must have a separate and clean bib and a disposable cup. (2. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. (8. Adequate and conveniently located toilet facilities with hot and cold running water, basin wipproved disposal system, soap and single use towels will be provided within the building.		Reason for Inspection. Inspections are made to insure compliance with the Standards of Cond
Inder Section 54 3314(e), Idaho Code. (ID1 449. (RESERVED) ISO200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. O1. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the section, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. O1. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. (b. The operatory room must have hot and cold running water, basin with approved disposal systellisinfectant soap, single use towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved disposatem. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.		
150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the safelean, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. (under Section	on 54-3314(c), Idaho Code. (
150200. STANDARDS OF CONDUCT AND PRACTICE STANDARDS. 01. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the safelean, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. 01. Sanitation. (401 440	(DECEDIED)
O1. Minimum Facility Standards. A Denturist office must be properly equipped to ensure the safe lean, and sanitary condition necessary and appropriate for proper operation and, the safe preparation of dentures. O1. Sanitation. a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal systelisinfectant soap; single use towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved disposatem. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. c. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.	401 449.	(RESERVED)
a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal syste lisinfectant soap; single—use towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved disposates. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal antiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.	clean, and s	anitary condition necessary and appropriate for proper operation and, the safe preparation of dentures.
a. There must be three (3) separate rooms; a reception room, and operatory room and a laboratory. b. The operatory room must have hot and cold running water, basin with approved disposal syste lisinfectant soap; single—use towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved disposates. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal antiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.		
b. The operatory room must have hot and cold running water, basin with approved disposal syste lisinfectant soap; single use towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved dispose system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal antiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.	01.	Sanitation. (
b. The operatory room must have hot and cold running water, basin with approved disposal syste lisinfectant soap; single use towels, a cuspidor with running water and a closed waste receptacle. c. The laboratory room must have hot and cold running water, and basin with approved dispose system. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal antiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.		There must be three (2) consists where a constitution and a constant and a laboratory.
c. The laboratory room must have hot and cold running water, and basin with approved disposestem. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin waterproved disposal system, soap and single use towels will be provided within the building.	- 11-	There must be three (5) separate rooms; a reception room, and operatory room and a mooratory.
c. The laboratory room must have hot and cold running water, and basin with approved disposestem. d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin waterproved disposal system, soap and single use towels will be provided within the building.		
c. The laboratory room must have hot and cold running water, and basin with approved dispositive must be a method of sterilization and disinfection evident and in use to insure the protect of the public. c. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal antiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.	b.	The operatory room must have hot and cold running water, basin with approved disposal syste
d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal antiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.	disinfectant	soap; single-use towels, a cuspidor with running water and a closed waste receptacle.
d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal antiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.	с.	The laboratory room must have hot and cold running water, and basin with approved dispo
d. There must be a method of sterilization and disinfection evident and in use to insure the protect of the public. e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal antiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin was approved disposal system, soap and single use towels will be provided within the building.	system.	
e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin water provided disposal system, soap and single use towels will be provided within the building.		
e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal intiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin water provided disposal system, soap and single use towels will be provided within the building.	d.	There must be a method of sterilization and disinfection evident and in use to insure the protect
e. All floors, walls, ceiling and benches must be kept in a sanitary condition at all times. f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin water provided disposal system, soap and single use towels will be provided within the building.		
f. Every patient must have a separate and clean bib and a disposable cup. g. The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin waterproved disposal system, soap and single use towels will be provided within the building.	F	
g. The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin wa	е.	All floors, walls, ceiling and benches must be kept in a sanitary condition at all times.
g. The hands of every denturist must be washed in the presence of every patient with germicidal untiseptic soap and water. Every denturist must wear disposable gloves. h. Adequate and conveniently located toilet facilities with hot and cold running water, basin wa	f	Every nations must have a separate and clean hih and a disposable cup
h. Adequate and conveniently located toilet facilities with hot and cold running water, basin waterproved disposal system, soap and single use towels will be provided within the building.		
h. Adequate and conveniently located toilet facilities with hot and cold running water, basin wa		
approved disposal system, soap and single use towels will be provided within the building.	antiseptic so	pap and water. Every denturist must wear disposable gloves. (
approved disposal system, soap and single use towels will be provided within the building.	h.	Adequate and conveniently located toilet facilities with hot and cold running water, basin w
i. All denturist offices are open to inspection anytime during the business hours to inspection by		
		All denturies offices are open to inspection anytime during the business hours to inspection by

Commented [KS23]: Removed during 5.24.2023 Board meeting. Updated in the above section to allow for in-person and virtual options.

Commented [KS24]: Duplicative of 54-3314- Suspension or Revocation of license (5)(b)- The board shall have the power to examine and inspect the place of business of any licensed denturist at a reasonable time and in a reasonable manner to ensure compliance with this chapter.

 Section 000
 Page 6
 YDunbar_01122023

Board o	or its ag	gents.	()
	-02.	Office Standards.	()
work.	a.	Denturists must take care to use proper sterilization and sanitation techniques in all phases of	of their
	<u>ь.</u>	A complete record of each patient must be kept.	()
	е.	All teeth and materials used must meet ADA standards.	()
	-03.	Advertisements.	()
	a.	No denturist may disseminate or cause the dissemination of any advertisement or advertising	that is
any wa	y fraud i	ulent, false, deceptive or misleading.	()
-	-04.	General Conditions.	()
	_	Conditions downed by imposing to be a manage to the multiplicable will be because	. 4 41
attentic	on of the	Conditions deemed by investigators to be a menace to the public health will be brought a Board for consideration and immediate action.	-to-tne
	h	These Standards of Conduct and Practice must be conspicuously posted in every licen sed der	turiet'e
place o		These Standards of Conduct and Fractice must be conspicuously posted in every itemsed des	iturist s
	—05.	Patient Record. A denturist must record, update and maintain documentation for each	
		lth history, clinical examinations and treatment, and financial data. Documentation must be wr	
		Records must be maintained in compliance with any applicable state and federal laws, rul cluding the health insurance portability and accountability act (HIPAA), P.L. 104-191 (1996),	
		ation technology for economic and clinical health act (HITECH), P.L. 111-115 (2009). Such	
		sible to other providers and to the patient in accordance with applicable laws, rules and regul	
		include, but are not limited to, the following:	(
	a.	Patient data, including name, address, date and description of examination;	()
	<u> </u>	Evidence of informed consent;	<i>(</i> .
	0.	Evidence of informed consent,	,
	c.	Date and description of treatment, services rendered, and any complications;	()
	d.	Health history as applicable; and	()
	е.	Any other information deemed appropriate to patient care.	(.
		Thy outer information declined appropriate to patient care.	,
	-06.	Record Retention. Patient documentation, written or archived electronically by computer, r	nust bo
retaine	d for a r	ninimum of seven (7) years and available upon request by the Board.	()
451	474.	(RESERVED)	
475.	DEC	ISTRATION STATEMENT.	
		Board to examine or inspect the place of business of any licensed denturist as referred to in Sect	ion 54.
		aho Code, the filing of an annual statement is required of all licensed denturists.	()
	01	Statement must list the name and principal place of hydroges of the deptyrist who is seen	oneihl-
for the	practice	Statement. must list the name and principal place of business of the denturist who is respected for denturitry at that location.	()
		•	
-11 da	02.	Other Business Locations. Any other business locations maintained by the principal dentu	rist and
an aent	turists e	mployed at the business.	()

03. Date of Filing, must be filed with the Board annually or within ten (10) days of any change in eith location, identity of principal denturist or denturist employees.	i er —)
Q4. Failure to Timely File. Failure to timely file or update this statement will constitute grounds f discipline pursuant to Section 54-3314(a), Idaho Code.	or
476. GUARANTEE OF DENTURIST SERVICES. As prescribed in Section 54 3320(c), Idaho Code, unconditional guarantee of denturist services will require that the licensee refund, in full, any monies received in connection with the providing of denturist services, if demanded the purchaser within ninety (90) days of delivery of the dentures, or the providing of services for which a fee charged.	b y
01. Ninety Day Period. The ninety (90) day period will be tolled for any period in which the denturnal taken possession or control of the dentures after original delivery.	i st —)
02. Written Contract . By written contract signed by the purchaser, the denturist may specify t amount of the purchase price of the dentures, if any, that is nonrefundable should the consumer choose to cancel the purchase within the guarantee period.	
03. Nonrefundable Amount. Under no circumstances will the nonrefundable amount exceed twent five percent (25%) of the total purchase price of the dentures.	y)
04. Limitation. There is no limitation on the consumer's right to cancel.	\rightarrow
05. Cancellation of Agreement. If the licensee elects to cancel the agreement or refuses to proving adjustments or other appropriate services to the consumer, the consumer will be entitled to a complete refund.	de
477 479. (RESERVED)	1
480. DISCIPLINE.	
Q1. Civil Fine. The Board may impose a civil fine not to exceed one thousand dollars (\$1,000) upor licensed denturist for each violation of Section 54 3314(a), Idaho Code.) a —)
O2. Costs and Fees. The Board may order a licensed denturist to pay the costs and fees incurred by to Board in the investigation or prosecution of the licensee for violation of Section 54–3314(a), Idaho Code. (he —)
02. Civil Penalty. The Board may impose a fine up to the amount of any economic advantage obtain through the violation.	ed)
03. Failing to mMaintain adequate records. Adequate records mean legible records which contain, minimum, evidence of information deemed appropriate for patient care and copies of statements of charges deliver or provided to the patient or client. Must be in compliance with HIPPA.	
04. False Advertisements . No denturist may disseminate or cause the dissemination of a advertisement or advertising that is in any way fraudulent, false, deceptive or misleading.	ny)
481 999. (RESERVED)	

Commented [KS25]: There is nothing in statute that gives the Board authority to require a registration statement.

Instead, the original and renewal applications should have the licensee identify business address(es). Per 54-3313 the addresses will be printed on the license.

67-2614(5)(a) requires licensees to immediately notify the Division of an address change.

Commented [KS26]: Duplicative of 54-3320- Notice of Board Address - - Prohibited Activities - - Guarantee on Services. Board approved during 3.31.2023 meeting.

Commented [KS27]: 55-3314(c) dictates when the board can impose monetary penalties - for violations of the practice standards adopted by the Board.

It does not allow the board to impose penalties for the

Commented [KS28]: IC 12-117 governs when fees and

other statutory grounds for discipline.

Commented [MC29]: Added pursuant to IC 54-3314(5)

Commented [KS30]: Moving this rule to Practice Standards

Commented [KS31]: Moved from Standards of Conduct and Practice

Section 000 Page 8 YDunbar_01122023